

PRODUCT DATA SHEET

CABLE PROTECTION TILETAPE™

UKT02ELE200

Ref	TS193C
Date	Dec 2021
Pages	1 of 1

DESCRIPTION

Heavy-duty warning tape made from 2.5mm thick recycled plastic. A brightly coloured strip of yellow virgin polyethylene film is laminated to the surface of a homogenised recycled plastic base. The yellow tape is over-printed in black with an identification warning text. Free from PVC.


INSTRUCTIONS / USES

The tape is designed to be buried above underground power cables and offers a high level of protection when compared to traditional (flimsy) marker tapes. The ideal depth of installation is 300mm, although we recommend the tape is placed as close to the ground surface as possible. The tape retains flexibility to allow it to be simply unrolled along the trench. Weighing less than 20kgs for a 40M roll there are significant cost reductions in transportation, handling and installation when compared to traditional concrete or clay protection slabs.

FEATURES

- Complies with ENATS 12/23
- 2.5mm thick
- Recycled plastic
- High level of protection for buried utility lines

TECHNICAL INFORMATION

DESIGN		ROLL SIZE	
		200mm x 40M	
BASE SUBSTRATE		THICKNESS	
Recycled thermoplastic material		2.5mm	
TOPTAPE SUBSTRATE		COLOUR	
100% virgin polyethylene		Yellow tape, black text, dark base	
PVC CONTENT		RESISTANCE TO ACID	
The tape contains NO PVC		Highly resistant	
RESISTANCE TO ALKALI		ROLL WEIGHT	
Highly resistant		18.80 Kgs	
MELT FLOW INDEX		DENSITY	
0.3 – 0.4 g / 10 min		920 – 945 Kgs/M ³	
PALLET QUANTITY		CARTON QUANTITY	
40 rolls		1 roll	

OTHER INFORMATION

There is no relevant BS British Standard or EN European Standard for this product